

00

SINLOON® 0000000000

Precision Metal Film Resistor (Molded Type)
($\pm 0.02\%$)
Specification :
Molding Precision Metal Film Resistor - HPMD

Features - -



Power Rating :0.125W ~ 1W.
Precision tolerance tight to A2(± 0.02).
Precision metal film, good stability and reliability. - -

Superior electrical TCR performances narrowed to ± 5 ppm/ $^{\circ}$ C .
Lead (Pb)-free and RoHS compliant, Covers all general type resistors.

00	:	00	Applications
0000000	0000	: 0.25W ~ 0.5W	Medical electronics.
0000000	0000	: $\pm 0.02\%$. $\pm 0.05\%$; $\pm 0.1\%$	Measuring and calibration

000000	00000000	:	00000000	
0000000000	0000	TCR ±5ppm/	0	
0000	,	00	,	0000

RATED STANDARD POWER				
Type	Power	Max. Operating Vol.	Precision	Tolerance
Working	Overload	±0.02%	±0.05%	
HPMD0727	1/4W	250V	500V	

±10ppm				
±15ppm				
±25ppm				
HPMD1040	1/2W	300V	600V	

±10ppm	
±15ppm	
±25ppm	
Operating Temperature Range	−55°C to +125°C □